ELSEVIER

Brain Research 642 (1994) 357–359

BRAIN RESEARCH

Author Index

Abraini, J.H., Fechtali, T. and Rostain, J.-C.
Lasting effects of dopamine receptor agonists upon striatal dopamine release in free-moving rats: an in vivo voltammetric study (642) 199
Agid, Y., see Holemans, S. (642) 327
Akaneya, Y., Takahashi, M., Tsukui, H. and Hatanaka, H.
Enhancement of choline acetyltransferase activity in coculture of rat septal and hippocampal neurons (642) 38
Arai, H., Higuchi, S., Matsushita, S., Yuzuriha, T., Trojanowski, J.Q. and Lee, V.M.-Y.
Expression of β-amyloid precursor protein in the developing human spinal cord (642) 132

Bao, J., see Nathan, B. (642) 297
Barjavel, M.J., see Thorat, S.N. (642) 153
Barth, D.S., see Di, S. (642) 267
Bartolome, J.V. and Bartolome, M.B.
Role of the spinal cord in intracisternal β-endorphin-evoked suppression of liver DNA synthesis in 10-day-old rats (642) 311
Bartolome, M.B., see Bartolome, J.V. (642) 311
Behbehani, M.M., see Liu, H. (642) 83
Beitz, A.J., see Liu, H. (642) 83
Beninger, R.J., see Ranaldi, R. (642) 251
Bergmann, B.M., see Tsai, L.-L. (642) 95
Bernardi, G., see Stefani, A. (642) 339
Bhargava, H.N., Thomas, P.T., Thorat, S. and House, R.V.
Effects of morphine tolerance and abstinence on cellular immune function (642) 1
Bhargava, H.N., see Thorat, S.N. (642) 153
Bohlhalter, S., Mohler, H. and Fritschy, J.-M.
Inhibitory neurotransmission in rat spinal cord: co-localization of glycine- and $GABA_A$-receptors at GABAergic synaptic contacts demonstrated by triple immunofluorescence staining (642) 59
Bothwell, M., see Henry, M.A. (642) 137
Brett, B., see Di, S. (642) 267
Brumley, C., see Rees, S. (642) 185
Budelmann, B.U., see Tu, Y. (642) 47
Burghen, G.A., see Nathan, B. (642) 297

Cadelli, D., see Weibel, D. (642) 259
Chandler, S., see Liu, H. (642) 83
Choi, K.T., Illievich, U.M., Zornow, M.H., Scheller, M.S. and Strnat, M.A.P.
Effect of hyperglycemia on peri-ischemic neurotransmitter levels in the rabbit hippocampus (642) 104
Cochran, S.L.
Evidence against a hypothesis of vestibular efferent function (642) 344
Crawford, T.O., see Hsieh, S.-T. (642) 316
Crompton, M.R., see Lowther, S. (642) 281

David, S., see Rahemtulla, N. (642) 221
De Paermentier, F., see Holemans, S. (642) 327
De Paermentier, F., see Lowther, S. (642) 281
De Pauw, E.S.D., see De Vries, M.J. (642) 206
Deschepper, C.F., see Rahemtulla, N. (642) 221
Deupree, D.L., see Nathan, B. (642) 297
De Vries, M.J., Treep, J.A., De Pauw, E.S.D. and Meijer, J.H.
The effects of electrical stimulation of the optic nerves and anterior optic chiasm on the circadian activity rhythm of the Syrian hamster: involvement of excitatory amino acids (642) 206
Di, S., Brett, B. and Barth, D.S.
Polysensory evoked potentials in rat parietotemporal cortex: combined auditory and somatosensory responses (642) 267
Dietrich, W.D., see Yao, H. (642) 117
Dudley, C.A. and Moss, R.L.
Lesions of the accessory olfactory bulb decrease lordotic responsiveness and reduce mating-induced c-*fos* expression in the accessory olfactory system (642) 29

Fechtali, T., see Abraini, J.H. (642) 199
Fritschy, J.-M., see Bohlhalter, S. (642) 59
Frye, G.D., see Grover, C.A. (642) 70
Fukushima, T., see Kurokawa, K. (642) 303

Gallo, R.V., see Zhen, S. (642) 178
Ginsberg, M.D., see Yao, H. (642) 117
Goettl, V.M. and Larson, A.A.
Antinociception induced by 3-(($\pm$)-2-carboxypiperazin-4-yl)-propyl-1-phosphonic acid (CPP), an *N*-methyl-D-aspartate (NMDA) competitive antagonist, plus 6,7-dinitroquinoxaline-2,3-dione (DNQX), a non-NMDA antagonist, differs from that induced by MK-801 plus DNQX (642) 334
Greenberger, V., see Richter-Levin, G. (642) 111
Griffin, J.W., see Hsieh, S.-T. (642) 316
Griffith, W.H., see Grover, C.A. (642) 70
Grover, C.A., Frye, G.D. and Griffith, W.H.
Acute tolerance to ethanol inhibition of NMDA-mediated EPSPs in the CA1 region of the rat hippocampus (642) 70

Hatanaka, H., see Akaneya, Y. (642) 38
Henry, M.A., Westrum, L.E., Bothwell, M. and Press, S.
Electron microscopic localization of nerve growth factor receptor (p75)-immunoreactivity in pars caudalis/medullary dorsal horn of the cat (642) 137
Higuchi, S., see Arai, H. (642) 132
Hildebrand, C., see Karlsson, M. (642) 244
Hisada, K., see Kurokawa, K. (642) 303
Hitsu, A., see Sugimoto, T. (642) 348
Holemans, S., Javoy-Agid, F., Agid, Y., De Paermentier, F., Laterre, E.C. and Maloteaux, J.-M.
Sulfonylurea binding sites in normal human brain and in Parkinson's disease, progressive supranuclear palsy and Huntington's disease (642) 327
Horton, R.W., see Lowther, S. (642) 281
House, R.V., see Bhargava, H.N. (642) 1
Hsieh, S.-T., Crawford, T.O. and Griffin, J.W.
Neurofilament distribution and organization in the myelinated axons of the peripheral nervous system (642) 316
Hsu, C.-C., see Nathan, B. (642) 297

Ichikawa, H., see Sugimoto, T. (642) 348
Illievich, U.M., see Choi, K.T. (642) 104

Javoy-Agid, F., see Holemans, S. (642) 327
Jibiki, I., see Kurokawa, K. (642) 303
Jin, W., Lo, T.-M., Loh, H.H. and Thayer, S.A.
U73122 inhibits phospholipase C-dependent calcium mobilization in neuronal cells (642) 237

Karlsson, M. and Hildebrand, C.
Sensory C-fibers in rat ventral roots are capsaicin-insensitive and they do not mediate extravasation from pial vessels (642) 244
Katona, C.L.E., see Lowther, S. (642) 281
Kawasaki, K., see Yasui, M. (642) 146

Kiyatkin, E.A.
Changes in dopamine-dependent electrochemical signal in the nucleus accumbens associated with repeated cocaine injections in rats (642) 228
Kuo, C.-Y., see Nathan, B. (642) 297
Kurokawa, K., Jibiki, I., Matsuda, H., Fukushima, T., Tsuji, S., Yamaguchi, N. and Hisada, K.
Comparison of benzodiazepine receptor and regional cerebral blood flow imaging of epileptiform foci in hippocampal kindled rabbits: a study with *in vivo* double tracer autoradiography using ^{125}I-Iomazenil and ^{99m}Tc-HMPAO (642) 303

Larson, A.A., see Goettl, V.M. (642) 334
Laterre, E.C., see Holemans, S. (642) 327
Lee, V.M.-Y., see Arai, H. (642) 132
Lee, Y.-H., see Nathan, B. (642) 297
Liu, H., Chandler, S., Beitz, A.J., Shipley, M.T. and Behbehani, M.M.
Characterization of the effect of cholecystokinin (CCK) on neurons in the periaqueductal gray of the rat: immunocytochemical and in vivo and in vitro electrophysiological studies (642) 83
Lo, T.-M., see Jin, W. (642) 237
Loh, H.H., see Jin, W. (642) 237
Lowther, S., De Paermentier, F., Crompton, M.R., Katona, C.L.E. and Horton, R.W.
Brain 5-HT_2 receptors in suicide victims: violence of death, depression and effects of antidepressant treatment (642) 281

Mackay, K.B. and McCulloch, J.
Distribution of effects of the κ-opioid agonist CI-977 on cerebral glucose utilization in rat brain (642) 160
Maeda, N., see Matsuoka, N. (642) 11
Maloteaux, J.-M., see Holemans, S. (642) 327
Markgraf, C.G., see Yao, H. (642) 117
Martino, G., see Rossini, P.M. (642) 169
Matsuda, H., see Kurokawa, K. (642) 303
Matsuoka, N., Maeda, N., Yamaguchi, I. and Satoh, M.
Possible involvement of brain somatostatin in the memory formation of rats and the cognitive enhancing action of FR121196 in passive avoidance task (642) 11
Matsushita, S., see Arai, H. (642) 132
Matwyshyn, G.A., see Thorat, S.N. (642) 153
Maurice, J., see Rahemtulla, N. (642) 221
McCulloch, J., see Mackay, K.B. (642) 160
Meijer, J.H., see De Vries, M.J. (642) 206
Mitani, S., see Sugimoto, T. (642) 348
Mittal, B., see Rahemtulla, N. (642) 221
Mohler, H., see Bohlhalter, S. (642) 59
Moore, R.Y., see Shirakawa, T. (642) 213
Moss, R.L., see Dudley, C.A. (642) 29

Nakago, T., see Sugimoto, T. (642) 348
Narici, L., see Rossini, P.M. (642) 169
Narita, K., Nishihara, M. and Takahashi, M.
Concomitant regulation of running activity and metabolic change by the ventromedial nucleus of the hypothalamus (642) 290
Nathan, B., Bao, J., Hsu, C.-C., Yarom, M., Deupree, D.L., Lee, Y.-H., Tang, X.-W., Kuo, C.-Y., Burghen, G.A. and Wu, J.-Y.
An integral membrane protein form of brain L-glutamate decarboxylase: purification, characterization and its relationship to insulin-dependent diabetes mellitus (642) 297
Nishihara, M., see Narita, K. (642) 290
Nitsos, I., see Rees, S. (642) 185

Pasquarelli, A., see Rossini, P.M. (642) 169
Peresson, M., see Rossini, P.M. (642) 169
Perry, B.D., see Tsai, L.-L. (642) 95
Pizzella, V., see Rossini, P.M. (642) 169
Prado, R., see Yao, H. (642) 117
Press, S., see Henry, M.A. (642) 137

Rahemtulla, N., Deschepper, C.F., Maurice, J., Mittal, B. and David, S.
Immunocytochemical and functional characterization of an . immortalized type 1 astrocytic cell line (642) 221
Ranaldi, R. and Beninger, R.J.
Rostral-caudal differences in effects of nucleus accumbens amphetamine on VTA ICSS (642) 251
Rawson, J., see Rees, S. (642) 185
Rechtschaffen, A., see Tsai, L.-L. (642) 95
Rees, S., Rawson, J., Nitsos, I. and Brumley, C.
The structural and functional development of muscle spindles and their connections in fetal sheep (642) 185
Richter-Levin, G., Greenberger, V. and Segal, M.
The effects of general and restricted serotonergic lesions on hippocampal electrophysiology and behavior (642) 111
Romani, G.L., see Rossini, P.M. (642) 169
Rossini, P.M., Martino, G., Narici, L., Pasquarelli, A., Peresson, M., Pizzella, V., Tecchio, F., Torrioli, G. and Romani, G.L.
Short-term brain 'plasticity' in humans: transient finger representation changes in sensory cortex somatotopy following ischemic anesthesia (642) 169
Rostain, J.-C., see Abraini, J.H. (642) 199

Salamone, J.D., see Sokolowski, J.D. (642) 20
Satoh, M., see Matsuoka, N. (642) 11
Scheller, M.S., see Choi, K.T. (642) 104
Schwab, M.E., see Weibel, D. (642) 259
Segal, M., see Richter-Levin, G. (642) 111
Shipley, M.T., see Liu, H. (642) 83
Shirakawa, T. and Moore, R.Y.
Responses of rat suprachiasmatic nucleus neurons to substance P and glutamate in vitro (642) 213
Sokolowski, J.D. and Salamone, J.D.
Effects of dopamine depletions in the medial prefrontal cortex on DRL performance and motor activity in the rat (642) 20
Stefani, A., Surmeier, D.J. and Bernardi, G.
Opioids decrease high-voltage activated calcium currents in acutely dissociated neostriatal neurons (642) 339
Strnat, M.A.P., see Choi, K.T. (642) 104
Sugimoto, T., Ichikawa, H., Mitani, S., Hitsu, A. and Nakago, T.
Changes in c-fos induction in dorsal horn neurons by hindpaw formalin stimulation following tibial neurotomy (642) 348
Surmeier, D.J., see Stefani, A. (642) 339

Takahashi, M., see Akaneya, Y. (642) 38
Takahashi, M., see Narita, K. (642) 290
Tang, X.-W., see Nathan, B. (642) 297
Tecchio, F., see Rossini, P.M. (642) 169
Thayer, S.A., see Jin, W. (642) 237
Thomas, P.T., see Bhargava, H.N. (642) 1
Thorat, S., see Bhargava, H.N. (642) 1
Thorat, S.N., Barjavel, M.J., Matwyshyn, G.A. and Bhargava, H.N.
Comparative effects of N^G-monomethyl-L-arginine and MK-801 on the abstinence syndrome in morphine-dependent mice (642) 153
Torrioli, G., see Rossini, P.M. (642) 169
Treep, J.A., see De Vries, M.J. (642) 206
Trojanowski, J.Q., see Arai, H. (642) 132
Tsai, L.-L., Bergmann, B.M., Perry, B.D. and Rechtschaffen, A.
Effects of chronic sleep deprivation on central cholinergic receptors in rat brain (642) 95
Tsuji, S., see Kurokawa, K. (642) 303
Tsukui, H., see Akaneya, Y. (642) 38
Tu, Y. and Budelmann, B.U.
The effect of L-glutamate on the afferent resting activity in the cephalopod statocyst (642) 47

Washio, H.
Time course of miniature currents in regenerating neuromuscular junctions of the cockroach *Periplaneta americana* (642) 77
Watabe, S., see Yoshii, M. (642) 123
Watson, B.D., see Yao, H. (642) 117
Weibel, D., Cadelli, D. and Schwab, M.E.
Regeneration of lesioned rat optic nerve fibers is improved after neutralization of myelin-associated neurite growth inhibitors (642) 259
Westrum, L.E., see Henry, M.A. (642) 137
Wu, J.-Y., see Nathan, B. (642) 297

Yamaguchi, I., see Matsuoka, N. (642) 11
Yamaguchi, N., see Kurokawa, K. (642) 303
Yao, H., Markgraf, C.G., Dietrich, W.D., Prado, R., Watson, B.D. and Ginsberg, M.D.
Glutamate antagonist MK-801 attenuates incomplete but not complete infarction in thrombotic distal middle cerebral artery occlusion in Wistar rats (642) 117

Yarom, M., see Nathan, B. (642) 297
Yasui, M. and Kawasaki, K.
Vulnerability of CA1 neurons in SHRSP hippocampal slices to ischemia, and its protection by Ca^{2+} channel blockers (642) 146
Yoshii, M. and Watabe, S.
Enhancement of neuronal calcium channel currents by the nootropic agent, nefiracetam (DM-9384), in NG108-15 cells (642) 123
Yuzuriha, T., see Arai, H. (642) 132
Zhen, S. and Gallo, R.V.
Lack of catecholamine involvement in the increased luteinizing hormone release due to blockade of κ-opioid receptors in the medial basal hypothalamus during midpregnancy in the rat (642) 178
Zornow, M.H., see Choi, K.T. (642) 104